



**ENGINEERING LTD**

**AIR SEEDERS**

**Main West Road  
Sheffield 7500  
Canterbury  
New Zealand**

**Ph: +64 (0) 3 3183824    Fx: +64 (0) 3 3183646    E: sales@taege.com    www.taege.com**

## The NEW Taege 6.0m Air Seeder



Built on top of the proven 6.0m Cultivator base, which is similar to the extremely successful Taege Seed Drill, this is a machine that has been in demand for some time. It is priced very competitively and offers great value. Some changes have been made to hopper sizes in later machines; however the principles will be the same as those photographed. Now double 800L and single 2400Lt capacity models are available. See the Air Seeder at site C88 - C90 National Field Days. A third air hopper is available for small seed and insecticides.

***An extra heavy duty, category 3, 2 point linkage front draw bar provides good maneuverability and strength***





**With approximately 1400 or 800 Lts of capacity the hopper can handle one tonne capacity bags easily. Future plans are for an optional crane or auger system to handle these.**

**Taege precision electronically controlled flow metering ensures fast and accurate calibration and metering.**




**If higher rates are required a quick and simple cartridge change with fluted rollers fitted is all that is needed.**

**An external 49 drop splitter tower is used which provides tidy and efficient hose routing. It also means you retain full hopper capacity and access by not having it mounted inside the hopper.**



**A soft start high capacity fan with oil cooling is used which is monitored by the Taege electronic controller.**

**Unique Taege phasing rams are standard which ensures equal raising and lowering of the air seeder over the 4 hydraulic legs regardless of the weight over each axle. Equalising the rams is done simply and automatically every time the drill is raised to its full height.**



**new and improved ram blocks**



**A simple but clever wing lock system is used so that when the wings are folded up the weighted lock system prevents the wing from folding in too far due to the slotted wing ram carriers.**

**These slotted wing ram carriers are a very important feature of our air seeder as it assists in the main reason for people wanting a Taege Air Seeder - contour following. These slots allow the wings to raise and drop well above and below the horizontal, this combined with the very flexible tyres set on an angle gives the contour following that everyone is wanting.**



**Trevor Goodeve**  
[trevor@taege.com](mailto:trevor@taege.com)  
**027 222 6050**